



Commercial Vehicles



We are widely experienced body builders, enthusiastic for our job. We manufacture reliable bodies to get the highest profitability on your business.



SERVICE

From our associated and own centers, we attend to any incidence, both within the warranty period and after-sales.

“We are closer than you can imagine ...”



FINAL ASSEMBLY AT DESTINATION

For special projects, the chance of body assembling either at clients' facilities or any trustworthy truck dealer is offered by ELS to its clients. By this way, you can avoid risks and logistic overcosts.





DROPSIDE

✓ Steel ✓ Aluminium



Sidewalls are composed by steel sheets in different heights, which are foldable and removable.



It is possible to install the floor both in wood and steel plate.

There are many options to set up and personalize your body.

DUMPER

✓ Bilateral

✓ Three-sided



Robust structure designed for the most challenging works. The platform and the front wall are made of high quality steel, and side and rear walls of steel or aluminum.

High safety locks on removable pillars, and it includes a cutting edge tilting system.

It is designed and manufactured in order to maximize the reliability of each part of the body. Different configurations and accessories are available.





SANDWICH 18 mm 30 mm

Inner core made of extruded polystyrene and polyester outer layer reinforced with fiberglass. There are different subframe and floor settings according to the utilization needs. Wide variety of optionals to customize your vehicle.



ALUMINIUM

The lightest body with side and front walls made of aluminum sheet. Different backdoor models in diverse materials as aluminum, sandwich, polyester or plywood. Top hatch to assembly the tail lift platform or roll-up door.



POLYESTER 2 mm 3,5 mm

Side and front walls are made of polyester plates reinforced with 2 or 3.5 mm-thickness fiberglass, depending on the model.

In turn, they are strengthened by vertical steel omegas.



PLYWOOD 14 mm 17 mm 20 mm

Side and front walls are manufactured on plywood with polyester coating reinforced with fiberglass.



SLIDING CURTAIN



The ELS Sliding Curtain system is ideal for the quickest loading and unloading of goods. The side walls are formed by a galvanized steel frame and a sliding tarp. Aluminum locks are installed at the end of the tarp, which allow for a fast and easy opening of the side walls.

The front and rear walls allow for multiple variations, such as aluminum or plywood slats, or rear doors.



REFRIGERATOR

The bodies are made of sandwich panels of polyurethane foam. All components of the sandwich set up a single piece, where inner and outer layers are strongly adhered and coated by polyester. All our refrigerator units accomplish ATP norms.



CAR RECOVERY

✓ Aluminium

✓ Steel

Designed to recover and transport vehicles. Two models are available for the platform (aluminum and steel) to increase its lightness without sacrificing features as functionality or resistance. High performance hydraulic equipment and full equipped body to facilitate your work.



TOWING TRUCK

Its automatic blade system enable quick and safe loading of the vehicle to be towed. It is the best option as municipal towing truck because of its loading speed.

Fuel



High performance bodies made of steel, stainless steel and aluminium, accomplishing all the quality and safety international standards. Taylor made configurations according to your needs. In addition, they are available to install on any chassis.

TANKS



Water

HOOK LIFT TRUCK



ELS hooklifts have a lifting capacity from 3TN. to 30TN. They all are internationally tested in the most demanding fields, allowing for the safest and most reliable transport of containers.

Likewise, by default across all the range, the equipments are supplied with container fixing hooks through hydraulic drive.

SKIPLOADER



Durability typifies our equipments. We have a wide range with lifting capacity from 3TN. to 18TN. They are also equipped with robust hydraulic telescopic arms and independent drive rear support feet. Standard equipment includes pneumatically activated DIN type balancing hooks. Wide range of optional elements is available, including cargo containers.



CONFIGURATIONS

- ✓ Cranes
- ✓ Winches
- ✓ Hatch
- ✓ Towing Hooks
- ✓ Self-Supporting Bodies

In ELS, we provide all our abilities in design, manufacturing and service, in order to install any kind of accesories or hydraulic / electric equipments that you need.





BUILT TO PERFORM



Ctra. de Argamasilla Km. 1,9 - Tomelloso - CP: 13700
Ciudad Real (Spain) - Tfno.: (+34) 926 51 05 86
www.els-industries.com